What Climate Change means for Vermont

Dr. Alan K. Betts

Atmospheric Research, Pittsford, VT 05763


akbetts@aol.com http://alanbetts.com

Natural Resources Committee Meeting on Climate Change

Thursday, February 14, 2013
Montpelier, VT


- Half the Arctic Sea Ice Melted in 2012
- Open water in Oct. Nov. gives warmer Fall in Northeast
 - Positive feedbacks:
 - Less ice, less reflection of sunlight
 - More evaporation, larger vapor greenhouse effect
 - Ice thin: most 1-yr-old

End of Nov. 2011 Hudson Bay was still nearly ice-free





June 2012 snow cover minimum

Northern Hemisphere Snow Cover Anomaly June 2012



Percent difference from 1971 - 2000 average June snow cover extent





- Arctic warming rapidly
 - Melting fast
 - Much faster than IPCC models
- Northeast winters
 - Same positive feedbacks

What Is Happening to Vermont?

- PAST 40/50 years (global CO₂ forcing detectible)
- Warming twice as fast in winter than summer
- Winter minimums increasing even faster
- Lakes frozen less by 7 days / decade
- Growing season longer by 3-4 days / decade
- Spring coming earlier by 2-3 days / decade

(Betts, 2011)


- Extreme weather increasing
- Evaporation increases with T
- More 'quasi-stationary weather patterns'

Vermont Temperature Trends 1961-2008


Summer +0.4°F / decade

- Winter +0.9°F / decade
- Larger variability, larger trend

 Less snow (and increased water vapor) drive larger winter warming



Lake Freeze-up & Ice-out Changing Frozen Period Shrinking Fast




- Ice-out earlier by 3 days / decade
- Freeze-up later by 4 days / decade
- Soil ice probably similar

Hydrology Sensitive to Climate

Lent (2010), USGS, Me


- Peak spring runoff
- Earlier in northern
 New England in
 recent years
 ≈ 3 days/decade
- Timing related to air temperatures in Spring



(Hodgkins and others, 2003)

Heating Degree Days and Days below 0°F (Burlington)

- Heating degree days falling 290/decade
- T_{min}<0°F
 falling 4 days
 /decade




Winter Hardiness Zones

© 2006 by The National Arbor Day Foundation®

winter cold extremes Change in 16 years Minimum winter T 4: -30 to -20°F 5: -20 to -10°F 1990 2006 6: -10 to 0°F Zone **USDA Hardiness Zones**

Detailed Map (most recent)

- VT Hardiness Zone Map 1976-2005
 - mean 1990
 - South now zone 6
- Half-zone in 16 yrs = 3.1°F/ decade
 - triple the rise-rate of winter mean T
 - 3 zones/century
- <u>http://planthardiness.ars.usda.g</u>
 <u>ov/PHZMWeb/</u>
 (Krakauer, Adv. Meteor. 2012)



Bennington & Brattleboro are becoming zone 6 $(T_{min} > -10F)$

- Hardy peaches: 2012
- More pests survive winter
- What is this?



Bennington & Brattleboro are becoming zone 6


- Hardy peaches: 2012
- More pests survive winter
- What is this?

Avocado

- Didn't survive frost
- 2100 survive in CT
- Our forests?




Lilac Leaf and Bloom



- Leaf-out -2.9 days/decade; Bloom -1.6 days/decade
- Large year-to-year variation related to temperature:
 2.5 days/°F


Sugar Maples in Spring



- Ice-out, lilac leaf, maple bud elongation correlated
- Lilac bloom and maple leaf-out correlated

Data: Sandy Wilmot, ANR

First and Last Frosts Changing



- Growing season for frost-sensitive plants increasing 3.7 days / decade
- Important for agriculture; local food supply

January 2, 2012




March 11, <u>2012</u>




October 2011– March 2012

- Warmest 6 months on record
- My garden frozen only 67 days
- No permanent snow cover west of Green Mountains
- Contrast snowy winter 2010-11

Oct 2011-Mar 2012 Statewide Ranks



Across the border: Canada



- Winter 2011-12: Far above "normal"
 - Canada's winters also warming 0.9°F/decade
- Climate doesn't see the border!


Last Year Exceptionally Warm

- Burlington Area Extremes
- Highest Average Temperature degrees F
- Days: 9/1/2011 8/31/2012
- Length of period: 365 days
- Years: 1850-2012
- Rank Value Ending Date
- 1 50.4 8/31/2012
- 2 48.4 8/31/2002, 8/31/1949
- 4 48.2 8/31/2010
- 5 48.0 8/31/1999
- 6 47.9 8/31/2006
- 7 47.8 8/31/1991, 8/31/1995
- 9 47.6 8/31/1899, 8/31/1903

(Scott Whittier: NWS-BTV)

January-August 2012 Statewide Ranks


National Climatic Data Center/NESDIS/NOAA



http://www.ncdc.noaa.gov/temp-and-precip/maps.php

Increasing Positive Temperature Extremes is "Global Warming"

(a) Probability Distribution of Northern Hemisphere Land Summer Temperature Anomalies



- Frequency of occurrence (vertical axis) of local June-July-August temperature anomalies for Northern Hemisphere land in units of local standard deviation (horizontal axis). The normal (gaussian) distribution bell curve is shown in green.
- Large increase in anomalies > +3σ is global warming
 - Baseline 0.15% has increased to 10% in 45 years

December 21, 2012

January 15, 2013






Past Month

- Dec 25: Ground froze hard
- Dec 27-28: Foot of snow
 - Air temperatures plunged but ground thawed under snow
- Jan 12-14: 45-50F
 - Snow melted
- Jan 15: Time to dig again...
- Followed by freeze-up.. melt

Vermont's Future with High and Low GHG Emissions

What about VT forests?

Sub-tropical drought areas moving into southern US



Migrating State Climate


Changes in average summer heat index—a measure of how hot it actually feels, given temperature and humidity—could strongly affect quality of life in the future for residents of Vermont, Red arrows track what summers in Vermont could feel like over the course of the century under the higher-emissions scenario. Yellow arrows track what summers in the state could feel like under the lower-emissions scenario.

NECIA, 2007

Very Heavy Precipitation Is Increasing

(USGCRP, 2009)

- Precipitation Extremes
- Most of the observed increase in precipitation during the <u>last 50 years</u> has come from the increasing frequency and intensity of heavy downpours.
- 67% increase in Northeast



The map shows percent increases in the amount falling in very heavy precipitation events (defined as the heaviest 1 percent of all daily events) from 1958 to 2007 for each region. There are clear trends toward more very heavy precipitation for the nation as a whole, and particularly in the Northeast and Midwest.

Summer "stormflow" increasing

Most >50%

Lent (2010) USGS, Me




Figure 4. Geographic distribution of summer storm flow trends, 1950-2006.

Extreme Weather (precip.)

- Precip. is condensation of atmospheric water vapor - larger latent heat release drives storms
- Saturation vapor pressure at cloud-base increases steeply with temperature (4%/°F)
- Quasi-stationary large-scale flow means longer rain events in low-pressure convergent regions, and longer droughts in high-pressure divergent regions
- As climate changes, <u>quasi-stationary</u> largescale modes appear to be more frequent
 - Cause may be Arctic warming: needs more study


2011 Floods: VT and NY

- Record spring flood: Lake Champlain
- Record flood with tropical storm Irene

Normal

March-August 2011 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



March-August, 2011

- Record wet : OH to VT
- Record drought: TX & NM
- 'Quasi-stationary' pattern

2011 Classic Flood Situations

- Spring flood: heavy rain and warm weather, melting large snowpack from 2010 winter
 - 70F (4/11) and 80F(5/27) + heavy rain
 - record April, May rainfall: 3X at BTV
 - Severe floods on Winooski and Adirondack rivers
 - Lake Champlain record flood stage of 103ft
- Irene flood: tropical storm moved up east of Green Mountains and Catskills
 - dumped 6-8 ins rain on wet soils
 - Extreme flooding
 - (Floyd on 9/17/1999 had similar rain but with dry soils there was less flooding)


Three Successive Years of East-Coast Tropical Storm Disasters

- September 21, 2010: Hurricane Igor with winds and record rainfall devastates eastern Newfoundland, isolating 150 communities as swollen rivers washed away the only roads into town and all connecting bridges. The worst storm ever in a province known for its storms.
- August 28, 2011: Tropical Storm Irene devastates
 Vermont, as heavy rain washes out roads and bridges, cutting off 20 towns
- October 29, 2012: Hurricane Sandy devastates New Jersey and New York City with winds and record storm surge flooding the subway tunnels, airports and shorelines; 8 million lose power

Disasters Happen in Strong Storms

- Hurricane Sandy hits NYC and floods subway tunnels: Oct 29 2012
- Extreme weather event + climate change = disaster
 - ≈ 1ft rise in mean sea-level
 - Gulfstream warm + 5°F
 - Blocking high: NE Canada
 - 13 ft storm surge







Increasing Extreme Weather

- The answer to the oft-asked question of whether an (extreme) event is caused by climate change is that it is the wrong question.
- All weather events are affected by climate change because the environment in which they occur is warmer and moister than it used to be. (Trenberth: Climatic Change 2012)
- .. and global weather patterns are changing

Increasing CO₂ is long-lived driver Water: Strong Positive Feed-backs

- GHGs up → Oceans, land warmer → Evaporation up
- Water Vapor up
 - WV infrared greenhouse up
 - Approx triples climate warming of planet
 - Locally reduces night-time cooling
 - Winter T_{min} increase: less severe winters
 - Longer growing season between frosts
 - Latent heat release in storms up
 - Increases precipitation rates
 - Increases precipitation extremes
 - Increases wind-speeds and storm damage
 - Increases snowfall from coastal storms in winter
- Snow and ice down, less sunlight reflected
 - Warmer Arctic in summer
 - Warmer northern winters
 - Less ice-cover: more evaporation
 - More lake-effect snowstorms

What Lies Ahead?

- Accelerating change, increasing extremes
- Increasing adaptation and rebuilding costs
- Environmental damage that will transform or destroy ecosystems- locally and globally
- Freely dumping waste streams from society into atmosphere, streams, lakes and oceans is unsustainable – long term costs now exceed \$1000 trillion
- Will need fossil carbon tax to incentivize mitigation and pay for the long-term costs

Discussion

Background papers:

http://alanbetts.com/

- Vermont Climate Change Indicators
- Seasonal Climate Transitions in New England
- Extreme Weather and Climate Change

http://www.anr.state.vt.us/anr/climatechange/Adaptation.html