

Climate Change an Overview



Dr. Alan K. Betts
Atmospheric Research, Pittsford, VT 05763

akbetts@aol.com http://alanbetts.com

CCV, Winooski, Vermont
October 16, 2013

- Earth sustains life
- Weather changes fast
- Climate changes slowly
- Greenhouse gases keep Earth warm
- Burning fossil fuels coal, oil and gas is having a big effect on climate by increasing greenhouse gases: CO₂ and H₂O



Climate Change

- One of the many great challenges for the 21st century - present path is unsustainable
- We are already decades late in taking action
 - J. S. Sawyer (1972): Man-made CO₂ and the "greenhouse" effect
 Charney Report (1979): Carbon dioxide and Climate
 UN Framework Convention on Climate Change (1992) in Rio, Brasil
 To stop "Dangerous Climate Change"
- It is a global issue & a local issue a societal issue & a personal issue
- Clash between Earth science and economic & social values

Outline

- Science of climate change
 - Global scale: actual and future
 - What is happening to Vermont

- The transition we face
 - Managing the earth system
 - Why is it difficult?


Discussion

Half the Arctic Sea Ice Melted in 2012

- less 2013
- Positive feedbacks:
- Less ice, less reflection of sunlight
- More evaporation, larger vapor greenhouse effect
- Ice thin: most 1-yr-old


End of Nov. 2011 Hudson Bay was still nearly ice-free:


Open water in Oct. Nov. gives warmer Fall in Northeast




Sea Ice Trends

- Sea ice is thinning rapidly
- Observed September decline appears to be faster than IPCC-AR4 climate model projections
- [AR5 projections should be faster]









Year


June 2012 snow cover minimum









Percent difference from 1971 - 2000 average June snow cover extent





- **Arctic warming rapidly**
 - **Melting fast**
 - Much faster than IPCC models
- **Northeast winters**
 - Same positive feedbacks


Snowfall and Snowmelt



- Temperature falls 16F (9C) with first snowfall
- Similar change with snowmelt
- Snow reflects sunlight; reduces evaporation and water vapor greenhouse – changes 'local climate'

2100: +5°F

Millennial Temperature Record




 "Proxy" records from before the time of thermometers provide uncertain data, but they're all we have




Global Temperature Rise 1880 – Present





Global Picture 2010


2010, warmest (tie) of 131 years 0.63 °C (1.2°F)



- Record summer temps
 - Russia (100°F) Moscow fires
 - Pakistan (128°F) Extreme monsoon floods


Carbon Dioxide Is Increasing

Atmospheric CO₂ at Mauna Loa Observatory




2009 Was "Good" for the Earth

Fossil Fuel Emissions: Actual vs. IPCC Scenarios



Key Diagnostic of the Carbon Cycle

Evolution of the fraction of total emissions that remain in the atmosphere



It takes at least a century to remove CO₂ from the atmosphere, and many centuries to remove it from oceans

Rising Ocean Acidity Threatens Organisms

- From the Tropics to the Arctic, the seas are sucking up emissions of CO₂ from burned fossil fuels
- When CO₂ dissolves in water, carbonic acid is produced; the oceans are becoming more acidic

(Ruttiman, *Nature,* 31 Aug. 2006)







Why Is More Carbon Dioxide in the Air a Problem?

- The air is transparent to sunlight, which warms the Earth
- But some gases in the air trap the Earth's heat, reradiate down, and keep the Earth warm (30°C)
- These are "Greenhouse gases"- water vapor, carbon dioxide, ozone, methane (H₂O, CO₂, O₃, CH₄, CFCs..)
- CO₂ is rising fast: by itself only a small effect

But as CO₂ Increases, Strong Water Cycle Feedbacks

- Earth warms, and evaporation and water vapor in the air increases and this triples the warming
- As Earth warms, snow and ice decrease, so less sunlight is reflected, so winters and the Arctic are <u>warming faster</u>
- Doubling CO₂ will warm Earth about 5°F
 - Much more in the North, over land, in winter
 - Climate change we are seeing in Vermont will continue


Global Warming Is Unequivocal IPCC: February 2, 2007 (AR5: Sept. 26, 2013)

Since 1970, a rise in:

- Global surface temperature
- Lower atmosphere temperatures
- Global sea-surface temperatures
- Global sea level
- Ocean heat content
- Water vapor
- Rainfall intensity
- Extratropical precipitation
- Hurricane intensity
- Drought
- Extreme high temperatures
- Heat waves

Decrease in:

- NH snow extent
- Arctic sea ice
- Glaciers
- Ocean pH (increasing acidity)




(www.ipcc.ch)

Predicted Change in Temperature


2020-2029 and 2090-2099, relative to 1980-1999 (°C)

"Committed"



(We did nothing for the last 20 years)

Still up to us!



(We could halve this if we act now)

[°C]



Sea-level Rise Will Eventually Flood Coastal Cities

- Late 20th-century sea-level rise: 1 foot / century
- 21st century: Likely to triple to 3 4 feet / century
 - And continue for centuries (accelerating for business as usual)

 http://www.nature.com/news/us-northeast-coast-is-hotspot-for-risingsea-levels-1.10880

Many Challenges Face Us

- Extreme weather: Floods, fires, & drought
 - 32 weather disasters >\$1B in 2011
- Melting Arctic and permafrost methane release is positive feedback
- Ecosystem collapse, including perhaps forest and ocean ecosystems
- Collapse of unsustainable human population

What Is Happening to Vermont?


- Local climate change indicators past 40/50 years
- Warming twice as fast in winter than summer
- Winter severity decreasing even faster
- Lakes frozen less by 7 days / decade
- Growing season longer by 3.7 days / decade
- Spring coming earlier by 2-3 days / decade
- Extremes increasing
- Evaporation increases with T
- More 'quasi-stationary weather patterns'

Vermont Temperature Trends 1961-2008


Summer +0.4°F / decade

- Winter +0.9°F / decade
- Larger variability, larger trend

 Less snow (and increased water vapor) drive larger winter warming




Lake Freeze-up & Ice-out Changing Frozen Period Shrinking Fast




- Ice-out earlier by 3 days / decade
- Freeze-up later by 4 days / decade

Lilac Leaf and Bloom in Spring



- Leaf-out earlier by 3 days/decade (tracks ice-out)
- Bloom earlier by 1.5 days/decade
- Leaf & bloom change 2.5 days/°F (4.5 days/°C)

Maples and Lilacs in spring




- Maple bud elongation mirrors lilac leaf
- Maple leaf-out mirrors lilac bloom

Vermont Winter 2006




- Snow reflects sunlight, except where trees shadow
- Cold; little evaporation, clear sky; earth cools to space
- 2012 warm winter, snow melts → positive feedback

Winter Hardiness Zones - Northeast



Detailed Map (most recent)

- VT Hardiness Zone Map 1976-2005
 - mean 1990
 - South now zone 6
- Half-zone in 16 yrs
 = 3.1°F/ decade
 - triple the rise-rate of winter mean T
 - 3 zones/century
- http://planthardiness.ars.usda.g ov/PHZMWeb/
 (Krakauer, Adv. Meteor. 2012)



Bennington & Brattleboro are becoming zone 6 $(T_{min} > -10F)$

- Hardy peaches: 2012
- More pests survive winter
- What is this?
 - Oct 1, 2012



Bennington & Brattleboro are becoming zone 6

- Hardy peaches: 2012
- More pests survive winter
- What is this?
 - Oct 1 2012

Avocado

- Didn't survive frost
- 2100 survive in CT
- Our forests?



January 2, 2012




March 11, <u>2012</u>



October 2011 – March 2012

- Warmest 6 months on record
- My garden frozen only 67 days
- No permanent snow cover west of Green Mntns
- Contrast snowy winter 2010-11

Oct 2011-Mar 2012 Statewide Ranks



Early Spring: Daffodils, Forsythia 79°F on March 22, 2012



Pittsford Vermont 3/22/12

Pittsford Vermont 3/24/12

2012 Exceptionally Warm

Record

Coldest

Much

Below


Normal

Below

Normal

- Burlington Area Extremes
- Highest Average Temperature degrees F
- Days: 9/1/2011 8/31/2012
- Length of period: 365 days
- Years: 1850-2012
- Rank Value Ending Date
- 1 50.4 8/31/2012
- 2 48.4 8/31/2002, 8/31/1949
- 4 48.2 8/31/2010
- 5 48.0 8/31/1999
- 6 47.9 8/31/2006
- 7 47.8 8/31/1991, 8/31/1995
- 9 47.6 8/31/1899, 8/31/1903





Near

Normal

Above

Normal

Much


Above

Normal

Record

Warmest

First and Last Frosts Changing



- Growing season for frost-sensitive plants increasing 3.7 days / decade
- A help for growing "local food"

Vermont's Future with High and Low GHG Emissions

What about skiing?

What about tropics?



Migrating State Climate

Changes in average summer heat index—a measure of how hot it actually feels, given temperature and humidity—could strongly affect quality of life in the future for residents of Vermont, Red arrows track what summers in Vermont could feel like over the course of the century under the higher-emissions scenario. Yellow arrows track what summers in the state could feel like under the lower-emissions scenario.

NECIA, 2007

Extreme Weather (precip.)

- Precip. is condensation of atmospheric water vapor - larger latent heat release drives storms
- Saturation vapor pressure at cloud-base increases steeply with temperature (4%/°F)
- Quasi-stationary large-scale flow means longer rain events in low-pressure convergent regions, and longer droughts in high-pressure divergent regions
- As climate changes, <u>quasi-stationary</u> largescale modes appear to be more frequent
 - Cause may be Arctic warming: needs more study


2011 Floods: VT and NY

- Record spring flood: Lake Champlain
- Record flood with tropical storm Irene

Normal

March-August 2011 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA




March-August, 2011


- Record wet : OH to VT
- Record drought: TX & NM
- 'Quasi-stationary' pattern

Jet Stream Patterns Slowing Down and Amplifying, Giving More Extreme Weather

(Francis and Vavrus, 2012)



Blocking Pattern - Unique track







Figure 1. (a) Atmospheric conditions during Hurricane Sandy's transit along the eastern seaboard of the United States, including the invasion of cold Arctic air into the middle latitudes of North America and the high-pressure blocking pattern in the northwest Atlantic. (b) After the convergence of tropical and extra-tropical storm systems, the hybrid Superstorm Sandy made landfall in New Jersey and New York, bringing strong winds, storm surge, and flooding to areas near the coast and blizzard conditions to Appalachia.

 High amplitude jet-stream + blocking pattern + strong cyclone + hurricane winds + full moon high tide = record storm surge + disaster

[Greene et al., Oceanography, 2013]

Colorado Flooding a "1,000-Year" Event

O 15-hr



Outline

- Science of climate change
 - Global scale: actual and future
 - What is happening to Vermont

- The transition we face
 - Managing the earth system
 - Why is it difficult?

Discussion

What Lies Ahead?

- Accelerating change, increasing extremes
- Increasing adaptation and rebuilding costs
- Environmental damage that will transform or destroy ecosystems- locally and globally
- Freely dumping waste streams from society into atmosphere, streams, lakes and oceans is unsustainable – long term costs now exceed \$1000 trillion
- Will need fossil carbon tax (a "waste" tax) to incentivize mitigation and pay for the long-term costs

Can We Stop "Dangerous Climate Change"?

(UNFCCC 1992)

- Yes: Quickly stabilize atmospheric CO₂
- This means an 80% drop in CO₂ emissions!
- This is very difficult
 - Fossil fuels have driven our industrial growth and population growth for 200 years
 - Our "lifestyle" has become dependent on fossil fuels

Managing Our Relation to the Earth System

- Our technology and our waste-streams are having large local and global impacts on the natural world and must be carefully managed
 - because we are dependent on the natural ecosystems
- We need new 'rules' because
 - Our numbers and industrial output are so large
 - Maximizing consumption and profit have led to present predicament

A Path Towards 'Sustainability'

- Necessary to:
- Minimize the lifetime of human waste products in the Earth system and eliminate waste with critical biosphere interactions
- Maximize recycling and re-manufacturing to minimize waste-streams and the use of nonrenewable raw materials
- Maximize the efficiency with which our society uses energy (and fresh water)
- Maximize the use of renewable resources

Examples of Long-Lived 'Waste'

- CFCs refrigerants very stable lifetime centuries - broken down by sunlight in stratosphere – catalyze ozone destruction, which protects earth from UV
- CO₂ from fossil fuels lifetime centuries a greenhouse gas that traps earth's heat radiation – pushing earth to warmer climate
- Nuclear waste plutonium-239: half-life 24000 years – nuclear weapons

Efficiency Comes First

- We need to double or triple our energy efficiency because...
 - We cannot replace current fossil fuel use with biofuels & renewable energy
 - Oil and gas reserves are limited, but coal & oil shale reserves are sufficient to push CO₂ to 1,000 ppm—and in time melt icecaps
 - Can we "sequester" CO₂ (put it back in the earth)?

Why Is It Difficult for Us?

- The "American dream" is crumbling
 - "Economic growth" based on fossil fuels, debt, and consumerism is unsustainable — and a disaster for the planet!
- Individual "rights" and the needs of humanity must be balanced against the needs of the earth's ecosystem
- We don't know how to guide and manage technology —so the result is tremendous successes and catastrophic failures

Why Is It Difficult for Us?


- Fossil fuels reserves are worth \$20-30T
- Regulating emissions of CO₂ is an "unfair cost" to the "free market"

- Real Earth system issues being ignored
- Our politics are facing collapse becoming a fantasy disconnected from the real world

We Passed the Carrying Capacity of the Earth in the 1980s (?)



- Population is still rising
- Consumption still rising
- Fossil fuel use still rising
- We still 'believe' in Growth
- Global poverty & suffering are growing: the future looks bleak for billions
- In a finite world, growth leads to overshoot & collapse



Surely Technology Can Save Us?

Critical for transition but real issue is

- Our world of technology is having a global impact on the natural world, which is alive, complex and beyond our 'control'
- So technology must be carefully managed —
 particularly our waste-streams because we
 are dependent on the natural world
 - But this is challenging with our ideology

Technology can be Useful Trucks or lightweight Trikes!



30 mph Danish electric tricycle: with 150 mile range

Our Choices Are Bounded



- Humanity is an integral part of the earth system and dependent on its stability
- We do not have the freedom to do what we wish, whatever our economic, political or theological doctrine
- The response of the Earth system to humancentered arrogance will be sufficiently large this century that we will rethink our doctrine
- We would be wise to rethink sooner rather than later

Can't Avoid the Big Issues!

- Regulation is good Reagan, G.H. Bush and Riley (EPA) pushed through the Montreal Protocol and the Clean Air Act Amendments over business opposition and saved the Earth from an ozone catastrophe
- Technology must be managed to minimize human impacts on the Earth
- Impacts have to be <u>fully</u> costed
- People need a vote, so they need to be informed

What Do We Need?

- So we need honest, truthful, smart pathways forward
 - That will not frighten people into paralysis
 - That will spread hope, not anger or despair
 - That sidestep ideological barriers with new language
 - That develop adaptive governance
 - The US Constitution gives no rights to the Earth
 - That respect Earth system processes & limits
 - That deal with society's fears

The Future Is Not Our Past

 Collectively, we create the future, so we need to plan for a transition to a sustainable society

- Efficient society
- Renewable technologies to replace fossil fuels

What Do We Need To Do?

- The transition to a sustainable society will take decades and a community effort
 - www.transitionnetwork.org
- Food: local agriculture & gardens
- Energy: Double energy efficiency
 - home heating district heating + cogen
 - renewable electricity mix
 - efficient transportation system
 - careful forest management
- Finance: relocalization in real world


What Will This Mean For You?

- Society needs to rethink its relationship to the natural environment and its ecosystems in less than one generation
- Our <u>'lifestyle'</u> is disconnected from what the earth can sustain and the large inertia of the earth system is masking the extent of the crisis we face
- Individual can rethink priorities but societal changes are needed: from towns to global
- At present, State level more productive than Federal!
- Ask
 - Is this an efficient and sustainable way of doing this?
 - Do I have a deep understanding and connection to Earth?

Discussion

- http://alanbetts.com
 - this talk http://alanbetts.com/talks
 - articles at http://alanbetts.com/writings
 - papers at http://alanbetts.com/research
- Vermont Climate Change Indicators
- Seasonal Climate Transitions in New England

Temperature Extremes are a Sign of Global Warming




- Frequency of occurrence (vertical axis) of local June-July-August temperature anomalies for Northern Hemisphere land in units of local standard deviation (horizontal axis). The normal (gaussian) distribution bell curve is shown in green.
- Large increase in anomalies > +3σ is global warming

(± 3σ includes 99.7% of data in 1951-1980 base period)

Western Forest Fires: 2000s

- 1,000 acre fires: twice as many as 1970s
- 10,000 acre fires: seven times as many as 1970s
- 100,000 acre wildfires do not appear in records before the late 1980s.
- Burn season 2.5 months longer than 1970s
- Early snowmelt; warmer, drier spring & summer and forest management practice
- Each 1°C warming quadruples area burned

CO₂ is the Primary Control Knob in the Climate System




- Falls 5°C in 1 year; 35°C in 50 years
- Water vapor falls 90%; cloud-cover goes to 75%; sea-ice to 50%

Climate and Resilience


- Trend to milder winters; longer growing season; earlier spring – variability large
- Trend to more precipitation in cool season; more wet snow and mixed in winter
- Warmer summers; heavier rain in summer; periods of drought – increase infiltration and water storage – forests stabilize climate
- Agriculture issues
 - Build soil carbon and organic matter for water storage and fertility
 - Recycle nutrients and phosphorus

Lilac Leaf-out and Ice-out Coupled



- Lilac leaf and lake ice-out both depend on Feb. Mar. and April temperatures
- Trends indicate earlier spring


Maples and Lilacs in spring



- Maple bud elongation mirrors lilac leaf
- Maple leaf-out mirrors lilac bloom

Very Heavy Precipitation Is Increasing


- Most of the observed increase in precipitation during the last 50 years has come from the increasing frequency and intensity of heavy downpours.
- 67% increase in Northeast
- Little change or a decrease in the frequency of light and moderate precipitation
- Vermont streamflow is increasing



The map shows percent increases in the amount falling in very heavy precipitation events (defined as the heaviest 1 percent of all daily events) from 1958 to 2007 for each region. There are clear trends toward more very heavy precipitation for the nation as a whole, and particularly in the Northeast and Midwest.

Projected Precip. Increase by 2090

- For Vermont
- 15% in winter,
- 10% in spring
- 5% in fall
- No change, summer
- Heavier rain and more drought



The maps show projected future changes in precipitation relative to the recent past as simulated by 15 climate models. The simulations are for late this century, under a higher emissions scenario." For example, in the spring, climate models agree that northern areas are likely to get wetter, and southern areas drier. There is less confidence in exactly where the transition between wetter and drier areas will occur. Confidence in the projected changes is highest in the hatched areas.

'Anti-global warming' tactics [delay, confuse and deny]

- Fabricate 'data' or cherry-pick the science for unsolved issues and ignore the big picture. 'This disproves global warming' or 'Science isn't resolved; we need more science.'
- Models can't predict the future with certainty, so the models are 'unreliable', 'can't be trusted'. Given this uncertainty, we cannot be held responsible for the future.
- If climate change were real, it would require collective government regulation of the 'free market', which we are opposed to; so climate change must be a 'hoax/conspiracy'
- It is too costly to make structural changes to our society, and it would affect profit margins.
- [We will wait till China and India take action]
- [The poor in Africa need energy]

What do we know from past?


Reconstruct past climate

- Ice core history: T, CO₂, CH₄ through many ice-ages - nearly a million years
- Ocean sediments
- Tree rings a few thousand years

Ice-core history!



Last four ice-age cycles





- Strengths of science:
 - integrity, honesty and communication
 - particularly valuable in a society lost in ignorance and deceit

- Limits of science:
 - tangible, measurable and communicable
 - hard to deal with the complexity and interconnectedness of the living natural world

Perspective for the 21st century

 Much of western philosophy and theology formed when humanity had a limited understanding of its place in the natural world; but the structures of belief didn't matter too much

because our impact was small.

- All this started to change with the industrial revolution powered by fossil fuels. Now humanity has a global impact on the natural world, and understanding our place in it is paramount.
- Science and technology created this situation, and must help us find a way out, by helping us understand the earth as a global system, now out-ofbalance.


But science has become 'valueless'

- Centuries-old split of science from ethics/religion
- Science preserved its factual integrity, but makes no value choices
- Theology & political society feel free to choose doctrine over understanding 'reality'
- No-one accepts responsibility for the Earth
- So collapse of our 'human system' is possible

Climate of Vermont

- Climate is a mean (10-30y)
- T_{max}, T, T_{min}
- Large seasonal range in VT


 Freezing T of water critical to climate




Diurnal Temperature Range

• T_{max} - T_{min}

- Mean daily range of T varies with season
- Related to RH and LW_{net}



Clouds: Summer & Winter Climate



- Summer: Clouds reflect sunlight (soil absorbs sun)
 - no cloud, hot days; only slightly cooler at night
- Winter: Clouds are greenhouse (snow reflects sun)
 - clear & dry sky, cold days and very cold nights

Spring Climate Transition



- Before leaf-out
 - **Little evaporation**→ Dry atmosphere, low humidity
 - → Low water vapor greenhouse
 - → Large cooling at night
 - → Large diurnal temp. range giving warm days, cool nights and frost
- After leaf-out
 - **Large evaporation** → Wet atmosphere, low cloudbase
 - → Small cooling at night
 - → Reduced maximum temperature
 - → Reduced chance of frost
- Spring is coming earlier

Fall Climate Transition

- Vegetation postpones first killing frost
- Deciduous trees still evaporating: moist air with clouds
- Water vapor & cloud greenhouse reduces cooling at night and prevents frost
- Till one night, dry air advection from north gives first hard frost.
- Vegetation shuts down, leaves turn, skies become clearer and frosts become frequent
- The opposite of what happens in Spring with leaf-out!




Clear dry blue sky after frost. Forest evaporation has ended; water vapor greenhouse is reduced, so Earth cools fast to space at night

Later frost: Growing season getting longer

How Do We Avoid "Dangerous Climate Change"?

Emissions Paths to Stabilisation [Stern, 2006]



How Do We Manage the Earth? (When there is so much we don't know)

- Need a long time horizon:
 - Generational to century (Forest timescale)
- We need some new rules / guidelines
 - Our numbers are so great
 - Our industrial impact is too large
 - Maximizing profit as a guiding rule has failed us
- Re-localize to regain control / responsibility and minimize transport

But If Growth Can't Save Us, **Surely Technology Can?**

- We have lost sight of the critical distinction between the human-made world and the natural world
- We understand the human-made world, the world of computers & technology—because we made it—it is predictable and controllable, except when we are careless (& earthquakes)

[E. F. Schumacher (1977). A Guide for the Perplexed]

 The same is not true of the natural world – which is far more complex and alive. Our understanding is limited; prediction & control are not possible

Media Resources

 Sunday Environment page in Rutland Herald/Montpelier Times Argus:
 2008-2012 – 50 articles

http://alanbetts.com/writings

Environmental Journalism Revisited

 Media Commentaries: VPR/PEG-TV http://alanbetts.com/talks