

Global Climate Change and Vermont

Dr. Alan K. Betts

Atmospheric Research, Pittsford, VT 05763

akbetts@aol.com

<http://alanbetts.com>

Environmental Law



Norwich University, VT

April 23, 2013

- **Half the Arctic Sea Ice Melted in 2012**
- **Open water in Oct. Nov. gives warmer Fall in Northeast**



- *Positive feedbacks:*
- *Less ice, less reflection of sunlight*
- *More evaporation, larger vapor greenhouse effect*
- *Ice thin: most 1-yr-old*

*End of Nov. 2011
Hudson Bay was still
nearly ice-free*




Sea Ice Trends to Sept 2012

- Observed September decline is faster than IPCC climate model projections (2007, 2013)
- Accelerating – ice-free summer by 2025?



June 2012 snow cover minimum

Northern Hemisphere Snow Cover Anomaly
June 2012




NSIDC courtesy Rutgers University Snow Lab



Percent difference from 1971 - 2000 average June snow cover extent

Northern Hemisphere Snow Cover Anomaly
June 1967 - 2012




NSIDC courtesy Rutgers University Snow Lab

- **Arctic warming rapidly**
 - **Melting fast**
 - *Much faster than IPCC models*
- **Northeast winters**
 - Same positive feedbacks

Carbon Dioxide Is Increasing

Atmospheric CO₂ at Mauna Loa Observatory



Rise of Greenhouse Gases (GHG) Shift Energy Balance of Planet

- The atmosphere is **transparent to light** from the sun, **but not to infrared radiation** from the earth
- **GHG:** H₂O, CO₂, CH₄, O₃, CFCs trap the infrared from the surface, giving climate suitable for life by warming planet 60°F
- Rise of CO₂ alone has only a small warming effect


BUT...



Water, Snow & Ice Give Positive Radiative Feedbacks

- As Earth warms, evaporation and water vapor increase and this is 3X amplifier on CO₂ rise
- As Earth warms, snow & ice decrease and reduced SW reflection amplifies warming in Arctic in summer and mid-latitudes in winter
- Doubling CO₂ will warm globe about 5°F (3°C)
 - Much more in the cold regions and over land, which responds faster than oceans

Only Half of Total CO₂ Emissions Remain in the Atmosphere



It takes at least a century to remove CO₂ from the atmosphere, and many centuries to remove it from oceans


Rising Ocean Acidity Threatens Organisms



- From the Tropics to the Arctic, the seas are sucking up emissions of CO_2 — from burned fossil fuels
- When CO_2 dissolves in water, carbonic acid is produced; the oceans are becoming more acidic



(Ruttiman, *Nature*, 31 Aug. 2006)



What Is Happening to Vermont?


- **PAST 40/50 years** (*global CO₂ forcing detectible*)
- **Warming twice as fast in winter than summer**
- **Winter minimums increasing even faster**
- **Lakes frozen less by 7 days / decade**
- **Growing season longer by 3-4 days / decade**
- **Spring coming earlier by 2-3 days / decade**

(Betts, 2011)

- **Extreme weather increasing**
- ***Evaporation increases with T***
- ***More 'quasi-stationary weather patterns'***



Vermont Temperature Trends 1961-2008

- **Summer $+0.4^{\circ}\text{F}$ / decade**
- **Winter $+0.9^{\circ}\text{F}$ / decade**
- **Larger variability, larger trend**
- ***Less snow (and increased water vapor) drive larger winter warming***



Lake Freeze-up & Ice-out Changing


Frozen Period Shrinking Fast



- Ice-out earlier **by 3 days / decade**
- Freeze-up later **by 4 days / decade**
- *Soil ice probably similar*

Heating Degree Days and Days below 0°F (Burlington)


- Heating degree days *falling 290/decade*
- $T_{\min} < 0^{\circ}\text{F}$ *falling 4 days/decade*




Winter Hardiness Zones

– winter cold extremes

Change in
16 years



1990



2006

Minimum winter T

4: -30 to -20°F

5: -20 to -10°F

6: -10 to 0°F


Zone



USDA Hardiness Zones

Detailed Map (most recent)

- VT Hardiness Zone Map 1976-2005
 - mean 1990
 - South now zone 6
- **Half-zone in 16 yrs**
= 3.1°F/ decade
 - triple the rise-rate of winter mean T
 - **3 zones/century**
- <http://planthardiness.ars.usda.gov/PHZMWeb/>
(Krakauer, Adv. Meteor. 2012)



Bennington & Brattleboro are becoming zone 6 ($T_{min} > -10F$)

- Hardy peaches: 2012
- More pests survive winter
- What is this?



Bennington & Brattleboro are becoming zone 6

- Hardy peaches: 2012
- More pests survive winter



• What is this?

- **Avocado**

- Didn't survive frost
- **2100 survive in CT**
- Our forests?




Lilac Leaf and Bloom



- Leaf-out -2.9 days/decade; Bloom -1.6 days/decade
- Large year-to-year variation related to temperature: $2.5 \text{ days}/^\circ\text{F}$



Sugar Maples in Spring



- Ice-out, lilac leaf, maple bud elongation correlated
- Lilac bloom and maple leaf-out correlated

Data: Sandy Wilmot, ANR

First and Last Frosts Changing



- **Growing season for frost-sensitive plants increasing 3.7 days / decade**
- *Important for agriculture; local food supply*

January 2, 2012



March 11, 2012




October 2011– March 2012


- **Warmest 6 months on record**
- **My garden frozen only 67 days**
- **No permanent snow cover west of Green Mountains**
- **Contrast snowy winter 2010-11**

Oct 2011-Mar 2012 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



Across the border: Canada



- **Winter 2011-12: Far above “normal”**
 - **Canada’s winters also warming 0.9°F/decade**
- ***Climate doesn’t see the border!***


Last Year Exceptionally Warm

- Burlington Area Extremes
- Highest Average Temperature degrees F
- Days: 9/1/2011 - 8/31/2012
- Length of period: 365 days
- Years: 1850-2012
- Rank Value Ending Date
- **1 50.4 8/31/2012**
- 2 48.4 8/31/2002, 8/31/1949
- 4 48.2 8/31/2010
- 5 48.0 8/31/1999
- 6 47.9 8/31/2006
- 7 47.8 8/31/1991, 8/31/1995
- 9 47.6 8/31/1899, 8/31/1903

(Scott Whittier: NWS-BTV)

January-August 2012 Statewide Ranks


National Climatic Data Center/NESDIS/NOAA



<http://www.ncdc.noaa.gov/temp-and-precip/maps.php>

Increasing Positive Temperature Extremes is “Global Warming”

(a) Probability Distribution of Northern Hemisphere Land Summer Temperature Anomalies



(Hansen, 2012)

- Frequency of occurrence (vertical axis) of local June-July-August temperature anomalies for Northern Hemisphere land in units of local standard deviation (horizontal axis). The normal (gaussian) distribution bell curve is shown in green.
- **Large increase in anomalies $> +3\sigma$ is global warming**
– *Baseline 0.15% has increased to 10% in 45 years*

December 21, 2012

January 15, 2013




**Past
Winter**

- **Dec 25: Ground froze hard**
- **Dec 27-28: Foot of snow**
 - **Air temperatures plunged but ground thawed under snow**
- **Jan 12-14: 45-50F: Snow melted**
- **Jan 15: Time to dig again..**
- **Followed by freeze-up.. Melt**
- **Final Melt - March 11**

Vermont's Future with High and Low GHG Emissions

What
about VT
forests?

Sub-tropical
drought areas
moving into
southern US



*NECIA,
2007*

**Summer
“stormflow”
increasing**

Most >50%

**Lent (2010)
USGS, Me**





Figure 4. Geographic distribution of summer stormflow trends, 1950-2006.

Hydrology Sensitive to Climate

Lent (2010), USGS, Me

- Peak spring runoff
- **Earlier in northern New England in recent years**
 ≈ 3 days/decade
- **Timing related to air temperatures in Spring**



(Hodgkins and others, 2003)

Extreme Weather (precip.)

- Precip. is condensation of atmospheric water vapor - larger latent heat release drives storms
- *Saturation vapor pressure at cloud-base increases steeply with temperature (4%/°F)*
- Quasi-stationary large-scale flow means longer rain events in low-pressure convergent regions, and longer droughts in high-pressure divergent regions
- *As climate changes, quasi-stationary large-scale modes appear to be more frequent*
 - *Cause may be Arctic warming: needs more study*



As Arctic warms, jet stream patterns are slowing down and amplifying, giving more extreme weather

(Francis and Vavrus, 2012)


Image - NASA

2011 Floods: VT and NY

- Record spring flood: Lake Champlain
- Record flood with tropical storm Irene

March-August 2011 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



March-August, 2011

- Record wet : OH to VT
- Record drought: TX & NM
- ‘Quasi-stationary’ pattern

2011 Classic Flood Situations


- **Spring flood:** heavy rain and warm weather, melting large snowpack from 2010 winter
 - 70F (4/11) and 80F(5/27) + heavy rain
 - record April, May rainfall: 3X at BTV
 - Severe floods on Winooski and Adirondack rivers
 - Lake Champlain record flood stage of 103ft
- **Irene flood: tropical storm** moved up east of Green Mountains and Catskills
 - dumped 6-8 ins rain on wet soils
 - Extreme flooding
 - (Floyd on 9/17/1999 had similar rain - but with dry soils there was less flooding)

Three Successive Years of East-Coast Tropical Storm Disasters

- **September 21, 2010: Hurricane Igor with winds and record rainfall devastates eastern Newfoundland, isolating 150 communities as swollen rivers washed away the only roads into town and all connecting bridges. The worst storm ever in a province known for its storms.**
- **August 28, 2011: Tropical Storm Irene devastates Vermont, as heavy rain washes out roads and bridges, cutting off 20 towns**
- **October 29, 2012: Hurricane Sandy devastates New Jersey and New York City with winds and record storm surge flooding the subway tunnels, airports and shorelines; 8 million lose power**

Disasters Happen in Strong Storms

- Hurricane Sandy hits NYC and floods subway tunnels: Oct 29 2012
- **Extreme weather event + climate change = disaster**
 - **≈ 1ft rise in mean sea-level**
 - **Gulfstream warm + 5°F**
 - **Blocking high: NE Canada**
 - **13 ft storm surge**



Increasing Extreme Weather

- *The answer to the oft-asked question of whether an (extreme) event is caused by climate change is that it is the wrong question.*
- *All weather events are affected by climate change because the environment in which they occur is warmer and moister than it used to be. (Trenberth: Climatic Change 2012)*
- .. and global weather patterns are changing

Increasing CO₂ is long-lived driver

Water: *Amplifying Feed-backs*

- **GHGs up → Oceans, land warmer → Evaporation up**
- **Water Vapor up**
 - **WV infrared greenhouse up**
 - **Approx triples climate warming of planet**
 - **Locally reduces night-time cooling**
 - **Winter T_{min} increase: less severe winters**
 - **Longer growing season between frosts**
 - **Latent heat release in storms up**
 - **Increases precipitation rates**
 - **Increases precipitation extremes**
 - **Increases wind-speeds and storm damage**
 - **Increases snowfall from coastal storms in winter**
- **Snow and ice down, less sunlight reflected**
 - **Warmer Arctic in summer**
 - **Warmer northern winters**
 - **Less ice-cover: more evaporation**
 - **More lake-effect snowstorms**

What Lies Ahead?

- **Accelerating change, increasing extremes**
- **Increasing adaptation and rebuilding costs**
- **Environmental damage that will transform or destroy ecosystems- locally and globally**
- **Freely dumping waste streams from society into atmosphere, streams, lakes and oceans is unsustainable – long term costs now exceed \$1000 trillion**
- **Will need fossil carbon tax to incentivize mitigation and pay for the long-term costs**

Discussion

Background papers:

<http://alanbetts.com/>

- *Vermont Climate Change Indicators*
- *Seasonal Climate Transitions in New England*
- *Extreme Weather and Climate Change*

<http://www.anr.state.vt.us/anr/climatechange/Adaptation.html>

Many Challenges Face Us


- **Sea-level rise: 3 - 5 feet / century likely**
- **Extreme weather: Floods, fires, & drought**
 - **32 weather disasters >\$1B in 2011**
- **Melting Arctic and permafrost—
methane release is amplifying feedback**
- **Ecosystem collapse, including perhaps forest
and ocean ecosystems**
- **Collapse of unsustainable human population**

Can We Stop “Dangerous Climate Change”?

- **Yes: Quickly stabilize atmospheric CO₂**
- **This means an 80% drop in CO₂ emissions!**
- **This is very difficult**
 - **Fossil fuels have driven our industrial growth and population growth for 200 years**
 - **Our “lifestyle” has become dependent on fossil fuels**

2009 Was “Good” for the Earth

Fossil Fuel Emissions: Actual vs. IPCC Scenarios



Efficiency Comes First

- **We need to double or triple our energy efficiency because...**
 - **We cannot replace current fossil fuel use with biofuels & renewable energy**
 - **Oil and gas reserves are limited, but coal, shale-gas & shale-oil reserves are sufficient to push CO₂ to 1,000 ppm—and in time melt icecaps**
 - **Can we “sequester” CO₂ (put it back in the earth)?**

Why Is It Difficult for Us?

- **Fossil fuels reserves are worth \$20-30T**
 - Regulating emissions of CO₂ is an “unfair cost” to the “free market”
 - Yet we are still subsidizing fossil fuels
- **Politics lost in fantasy**
 - Ignoring Earth system and climate issues
 - Ignoring future costs
 - So. Manhattan within 1-ft of flooding with Irene
 - Did they put waterproof doors on tunnels? No

Why Is It Difficult for Us?

- The “American dream” is crumbling
 - “Economic growth” based on **fossil fuels, debt, and consumerism is unsustainable** — and a disaster for the planet!
- Individual “rights” and the needs of humanity must be **balanced** against the needs of the earth’s ecosystem
- We don’t know how to **guide and manage technology** —so the result is tremendous successes and catastrophic failures

What Do We Need?

- So we need **honest, truthful, smart** pathways forward
 - That will **not frighten people** into paralysis
 - That will **spread hope, not anger or despair**
 - That **sidestep ideological barriers with new language**
 - That **develop adaptive governance**
 - The US Constitution gives no rights to the Earth
 - **That respect Earth system processes & limits**

Energy Sector C-intensity



Energy Sector Carbon Intensity
tCO₂/toe

