



Dealing With Climate Change



Dr. Alan K. Betts

Atmospheric Research, Pittsford, VT 05763

akbetts@aol.com

<http://alanbetts.com>

Transition Town Montpelier

April 17, 2014

Montpelier, VT

Outline

- **Science of climate change**
 - **Global and local**
 - **What is happening to Vermont?**
 - **Why is extreme weather increasing?**
- **The transition we face**
 - **Can we stabilize the climate?**
 - **Why is it difficult?**

Discussion

Earth sustains life

- Burning fossil fuels is increasing greenhouse gases and melting polar ice
- Climate is warming and extreme weather is increasing
- Water plays crucial role everywhere



January 2, 2012: NASA

System Issues

- **Human waste streams are transforming the Earth's climate, and human and natural ecosystems**
- **How will this affect landscape, water supplies, food system and human health?**
- **What strategies and mindset are needed to mitigate, adapt and build resilience in Vermont?**
 - Is this an efficient way of doing this?
 - Can we manage our waste streams better?
 - Can I deepen my connection to the Earth?



Our Present Challenge

- How to reintegrate
all that we know and understand
 - *given the deep interconnectedness
of life & climate on Earth*

- **Half the Arctic Sea Ice Melted in 2012**
- **Open water in Oct. Nov. gives warmer Fall in Northeast**


- *Positive feedbacks:*
- *Less ice, less reflection of sunlight*
- *More evaporation, larger vapor greenhouse effect*
- *Ice thin: most 1-yr-old*

***End of Nov. 2011
Hudson Bay was still
nearly ice-free***




June 2012 snow cover minimum

Northern Hemisphere Snow Cover Anomaly
June 2012



Northern Hemisphere Snow Cover Anomaly
June 1967 - 2012



- **Arctic warming rapidly**
 - **Melting fast**
 - *Much faster than IPCC models*
- **Northeast winters**
 - Same positive feedbacks

Changes in Vermont


- **PAST 40/50 years** (*global CO₂ forcing detectible*)
- **Warming twice as fast in winter than summer**
- **Winter minimums increasing even faster**
- **Lakes frozen less by 7 days / decade**
- **Growing season longer by 3-4 days / decade**
- **Spring coming earlier by 2-3 days / decade**

(Betts, 2011)



- **Extreme weather increasing**
- ***Evaporation increases with T***
- ***More 'quasi-stationary weather patterns'***

Vermont Temperature Trends 1961-2008

- **Summer $+0.4^{\circ}\text{F}$ / decade**
- **Winter $+0.9^{\circ}\text{F}$ / decade**
- **Larger variability, larger trend**
- ***Less snow (and increased water vapor) drive larger winter warming***





Snowfall and Snowmelt



- Temperature falls 16F (9C) with first snowfall
- Similar change with snowmelt
- ***Snow reflects sunlight; reduces evaporation and water vapor greenhouse – changes 'local climate'***

Lake Freeze-up & Ice-out Changing


Frozen Period Shrinking Fast



- Ice-out earlier **by 3 days / decade**
- Freeze-up later **by 4 days / decade**
- *Soil ice probably similar*

Heating Degree Days and Days below 0°F (Burlington)

- Heating degree days *falling 290/decade*
- $T_{\min} < 0^{\circ}\text{F}$ *falling 4 days/decade*



- winter cold extremes



6: -10 to 0°F

Zone




USDA Hardiness Zones

Detailed Map (most recent)

- VT Hardiness Zone Map 1976-2005
 - mean 1990
 - South now zone 6
- Half-zone in 16 yrs
= 3.1°F/ decade
 - triple the rise-rate of winter mean T
- **3 zones/century**
- <http://planthardiness.ars.usda.gov/PHZMWeb/>

(Krakauer, Adv. Meteor. 2012)



Bennington & Brattleboro are becoming zone 6 ($T_{min} > -10F$)

- Hardy peaches: 2012
- More pests survive winter
- What is this?



Bennington & Brattleboro are becoming zone 6

- Hardy peaches: 2012
- More pests survive winter



- What is this?

- **Avocado**

- Didn't survive frost
- **2100 survive in CT**
- Our forests?





Lilac Leaf and Bloom




- Leaf-out -2.9 days/decade; Bloom -1.6 days/decade
- *Large year-to-year variation related to temperature: $2.5 \text{ days/}^\circ\text{F}$*

Maples and Lilacs in spring



- Maple bud elongation mirrors lilac leaf
- Maple leaf-out mirrors lilac bloom

First and Last Frosts Changing



- Growing season for frost-sensitive plants increasing **3.7 days / decade**
- *Important for agriculture; local food supply*

January 2, 2012




March 11, 2012




October 2011– March 2012

- **Warmest 6 months on record**
- **My garden frozen only 67 days**
- **No permanent snow cover west of Green Mountains**
- **Contrast snowy winters**
 - 2010-11; 2013-14

Oct 2011-Mar 2012 Statewide Ranks
National Climatic Data Center/NESDIS/NOAA



Across the border: Canada



- Winter 2011-12: Far above “normal”
 - Canada’s winters also warming 0.9°F/decade
- *Climate doesn’t see the border!*

December 21, 2012



January 15, 2013




**Winter
2012-13**

- **Dec 25: Ground froze hard**
- **Dec 27-28: Foot of snow**
 - **Air temperatures plunged but ground thawed under snow**
- **Jan 12-14: 45-50F: Snow melted**
- **Jan 15: Time to dig again..**
- **Followed by freeze-up.. Melt**
- **Final Melt - March 11**

Jan. 1-24, 2014

850mb Temperature Anomaly




Extremes increasing across whole hemisphere: stationary patterns

Vermont's Future with High and Low GHG Emissions

What
about VT
forests?

Sub-tropical
drought areas
moving into
southern US



**NECIA,
2007**

Why Is More Carbon Dioxide in the Air a Problem?

- The air is transparent to sunlight, which warms the Earth
- But some gases in the air trap the Earth's heat , reradiate down, and keep the Earth warm (30°C)
- These are “Greenhouse gases”- water vapor, carbon dioxide, ozone, methane (H_2O , CO_2 , O_3 , CH_4 , CFCs..)
- CO_2 is rising fast: by itself only a small effect

But as CO₂ Increases, Strong Water Cycle Feedbacks

- Earth warms, and **evaporation and water vapor in the air increases** and **this triples the warming**
- As Earth warms, **snow and ice decrease**, so less sunlight is reflected, so winters and the Arctic are **warming faster**
- **Doubling CO₂ will warm Earth about 5°F**
 - **Much more in the North, over land, in winter**
 - **Climate change we are seeing in Vermont will continue**

Increasing CO₂ is long-lived driver


Water: Strong Feed-backs Amplify

- **GHGs up → Oceans, land warmer → Evaporation up**
- **Water Vapor up**
 - WV infrared greenhouse up
 - Approx triples climate warming of planet
 - Locally reduces night-time cooling
 - Winter T_{min} increase: less severe winters
 - Longer growing season between frosts
 - Latent heat release in storms up
 - Increases precipitation rates
 - Increases precipitation extremes
 - Increases wind-speeds and storm damage
 - Increases snowfall from coastal storms in winter
- **Snow and ice down, less sunlight reflected**
 - Warmer Arctic in summer
 - Warmer northern winters
 - Less ice-cover: more evaporation
 - More lake-effect snowstorms

Very Heavy Precipitation Is Increasing

(USGCRP, 2009)

- **Precipitation Extremes**
- Most of the observed increase in precipitation during the last 50 years has come from the increasing frequency and intensity of heavy downpours.
- **67% increase in Northeast**
- ***Nine out of ten recent summers have been 'wet'***



Extreme Weather (precip.)


- Precip. is condensation of atmospheric water vapor - larger latent heat release drives storms
- *Saturation vapor pressure at cloud-base increases steeply with temperature (4%/°F)*
- Quasi-stationary large-scale flow means longer rain events in low-pressure convergent regions, and longer droughts in high-pressure divergent regions
- *As climate changes, quasi-stationary large-scale modes appear to be more frequent*
 - *Cause may be Arctic warming: needs more study*

2011 Floods: VT and NY

- Record spring flood: Lake Champlain
- Record flood with tropical storm Irene

March-August 2011 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



March-August, 2011


- Record wet : OH to VT
- Record drought: TX & NM
- ‘Quasi-stationary’ pattern

Jet Stream Patterns Slowing Down and Amplifying, Giving More Extreme Weather

(Francis and Vavrus, 2012)

GFS: 300MB Wind & Height - 30 Hour Forecast

Valid on Mon 07/01/2013 at 08:00 AM EDT



Blocking Pattern - Unique track





Figure 1. (a) Atmospheric conditions during Hurricane Sandy's transit along the eastern seaboard of the United States, including the invasion of cold Arctic air into the middle latitudes of North America and the high-pressure blocking pattern in the northwest Atlantic. (b) After the convergence of tropical and extra-tropical storm systems, the hybrid Superstorm Sandy made landfall in New Jersey and New York, bringing strong winds, storm surge, and flooding to areas near the coast and blizzard conditions to Appalachia.

- High amplitude jet-stream + blocking pattern + strong cyclone + hurricane winds + full moon high tide = **record storm surge + disaster**

[Greene et al., Oceanography, 2013]

Jan. 1-24, 2014

850mb Temperature Anomaly



Extremes increasing across whole hemisphere: stationary patterns

Extreme floods in UK; record warm in SE Europe

What Lies Ahead?

- Accelerating change, increasing extremes
- Increasing adaptation and rebuilding costs
- Environmental damage that will transform or destroy ecosystems- locally and globally
- **Freely dumping waste streams from society into atmosphere, streams, lakes and oceans is unsustainable – long term costs now exceed \$1000 trillion**
- *Will need fossil carbon tax (a “waste” tax) to incentivize mitigation and pay for the long-term adaptation and health costs*

Can We Stop “Dangerous Climate Change”?

(UNFCCC 1992)

- **Yes:** Quickly stabilize atmospheric CO₂
- This means an 80% drop in CO₂ emissions!
- **This is very difficult**
 - Fossil fuels have driven our industrial growth and population growth for 200 years
 - Our “lifestyle” has become dependent on fossil fuels

‘Managing’ Our Relation to the Earth System

- Our technology and our waste-streams are having large local and global impacts on the natural world and **must be carefully managed** — *because we are dependent on the natural ecosystems*
- **We need new ‘rules’ because**
 - Our numbers and industrial output are so large
 - Maximizing consumption and profit have led to present predicament

A Path Towards 'Sustainability'

- **Minimize the lifetime of human waste products** in the Earth system and eliminate waste with critical biosphere interactions
- **Maximize recycling and re-manufacturing to minimize waste-streams and the use of non-renewable raw materials**
- **Maximize the efficiency** with which our society uses energy (and fresh water)
- **Maximize the use of renewable resources**
- ***Relocalize to re-establish responsibility and control***

Efficiency Comes First

- **We need to double or triple our energy efficiency because...**
 - We cannot replace current fossil fuel use with biofuels & renewable energy
 - Oil and gas reserves are limited, but coal & oil shale reserves are enough to push CO₂ to 1,000 ppm—and in time melt icecaps
 - Will we pay to “sequester” CO₂ (put it back in the earth)?

Why Is It Difficult for Us?

- The “American dream” is crumbling
 - “Economic growth” based on **fossil fuels, debt, and consumerism is unsustainable** — and a disaster for the planet!
- Individual “rights” and the needs of humanity must be **balanced** against the needs of the earth’s ecosystem
- We don’t know how to **guide and manage technology** —so the result is tremendous successes and catastrophic failures

Why Is It Difficult for Us?

- **Fossil fuels reserves are worth \$20-30T**
 - Regulating emissions of CO₂ is an “unfair cost” to the “free market”
- **Real Earth system issues being ignored**
- ***Our politics are facing collapse***
 - *Disconnected from the real world*
 - ***Local Transition efforts are critical***

Surely Technology Can Save Us?

- Critical for transition but real issue is
- Our world of technology is having a global impact on the natural world, which is alive, complex and beyond our 'control'
- So **technology must be carefully managed — particularly our waste-streams** — because we are dependent on the natural world
 - **But this is challenging with our ideology**

Technology can be Useful ***Trucks or lightweight Trikes!***



**30 mph Danish electric tricycle:
with 150 mile range**

Food Issues

- **Milder winters and longer growing season in Northeast**
 - Over-winter more crops
 - Increasing variability of weather
 - Increasing precipitation extremes
 - Flood-plain and soil water management
 - Possible increase in summer pests
- **Increasing drought in southern, central and western US**
 - Critical fresh water issues world-wide
 - Many pumped aquifers near exhausted
 - *Localize Vermont food system*

Simple Suggestions

- **Reeducation of society and its 'systems'**
 - The transition we face is huge
 - What will raise awareness/change paradigm?
 - How can we better manage our relation to Earth?
- **Understand water and landscape**
 - Limit phosphorus loads on streams/lakes
 - Fresh water supply not critical in VT, but is elsewhere
- **Examine all waste-streams**
 - Aim to recycle/remanufacture everything
 - Fully cost all waste streams
- **Relocalize food system**
 - Compost all organic waste
- **Default energy use should be 'OFF'**
 - Maximize energy efficiency: housing, transport, power
 - Add and monitor renewable power
- **Reconnect with natural world**
 - Fundamental if we are to accept transition

Attitude Matters

(Hope versus Despair)

- People ask “Why are you so hopeful?”
- This is a deeper question than understanding and responding to climate change
 - For human beings, hope expands our vision, hope connects us to each other and deepens our sense of communion
 - Hope opens doors and frees us to be creative and work joyfully with each other and with the Earth
 - Hope is a spiritual connection
- *Despair closes us off from the real world of possibilities into a dark and isolated world*

What Do We Need?

- So we need **honest, truthful, smart** pathways forward
 - That will **not frighten people** into paralysis
 - That will **spread hope, not anger or despair**
 - That sidestep ideological barriers **with new language**
 - That **develop adaptive governance**
 - The US Constitution gives no rights to the Earth
 - **That respect Earth system processes & limits**

The Future Is Not Our Past

- **Collectively, we create the future, so we need to plan for a transition to a sustainable society**
- **Face the future with an attitude of**

“Bold Humility”

(Frances Moore Lappé: RAFFL, Rutland, 2007)

- **Efficient society with renewable technologies**
- **Balance community solutions and government interventions**
- **Ask**
 - **Is this an efficient and sustainable way of doing this?**
 - **Do I have a deep understanding and connection to Earth?**

Discussion

Background material:

<http://alanbetts.com/>


- ***Vermont Climate Change Indicators***
- ***Seasonal Climate Transitions in New England***
- ***Extreme Weather and Climate Change***

<http://www.anr.state.vt.us/anr/climatechange/Adaptation.html>

Health Issues

- **Higher temperature extremes**
 - Offset by wet summers in Northeast
- **Winter survival of pests**
 - **Blacklegged Tick (Deer Tick):** A warming climate, combined with the spread of the invasive shrub Barberry, has allowed this pest to expand its range to the entirety of Vermont. This invasive is responsible for the spread of Lyme disease throughout New England.
- **Mosquito-borne diseases – EEE/West Nile**
 - Increased summer breeding: *nine out of ten recent summers have had well-above 'average' rainfall*


Increasing Positive Temperature Extremes is “Global Warming”



(Hansen, 2012)

- Frequency of occurrence (vertical axis) of local June-July-August temperature anomalies for Northern Hemisphere land in units of local standard deviation (horizontal axis). The normal (gaussian) distribution bell curve is shown in green.
- Large increase in anomalies $> +3\sigma$ is global warming
 - Baseline 0.15% has increased to 10% in 45 years

North American Changes: T, Precip.



- Temperature and precipitation changes over North America from an average of 21 AOGCM projections for A1B (high emission) scenarios.
- Top row: Annual mean, winter (DJF) and summer (JJA) temperature change between 1980 to 1999 and 2080 to 2099. **[NE winter: +4.5C, +8F]**
- Bottom row: for fractional change in precipitation. **[NE winter: +25%]**