



Climate Change – an Overview



Dr. Alan K. Betts

Atmospheric Research, Pittsford, VT 05763

akbetts@aol.com
<http://alanbetts.com>

Sustainable Development Policy

UVM, Burlington, Vermont

September 18, 2013

- Earth sustains life
- Weather changes fast
- Climate changes slowly
- Greenhouse gases keep Earth warm
- Burning fossil fuels – coal, oil and gas – is having a big effect on climate by increasing greenhouse gases: CO₂ and H₂O



January 2, 2012: NASA

Climate Change

- One of the many great challenges for the 21st century - present path is unsustainable
- **We are already decades late in taking action**

J. S. Sawyer (1972): Man-made CO₂ and the “greenhouse” effect

Charney Report (1979): Carbon dioxide and Climate

UN Framework Convention on Climate Change (1992) in Rio, Brasil

- To stop “Dangerous Climate Change”

- It is a **global issue & a local issue**
a **societal issue & a personal issue**
- **Clash between Earth science
and economic & social values**

Outline

- **Science of climate change**
 - **Global scale: actual and future**
 - **What is happening to Vermont**
- **The transition we face**
 - **Managing the earth system**
 - **Why is it difficult?**

Discussion


- **Half the Arctic Sea Ice Melted in 2012**

- *less 2013*

- Positive feedbacks:
- *Less ice, less reflection of sunlight*
- *More evaporation, larger vapor greenhouse effect*
- *Ice thin: most 1-yr-old*




***End of Nov. 2011
Hudson Bay was still
nearly ice-free:***

**Open water in Oct. Nov. gives
warmer Fall in Northeast**




Sea Ice Trends

- Sea ice is **thinning rapidly**
- Observed September decline appears to be **faster than IPCC-AR4 climate model projections**
- *[AR5 projections should be faster]*




June 2012 snow cover minimum

Northern Hemisphere Snow Cover Anomaly
June 2012




Northern Hemisphere Snow Cover Anomaly
June 1967 - 2012




- **Arctic warming rapidly**
 - **Melting fast**
 - *Much faster than IPCC models*
- **Northeast winters**
 - Same positive feedbacks

Snowfall and Snowmelt



- Temperature falls 16F (9C) with first snowfall
- Similar change with snowmelt
- ***Snow reflects sunlight; reduces evaporation and water vapor greenhouse – changes 'local climate'***

Millennial Temperature Record




- “Proxy” records from before the time of thermometers provide uncertain data, but they’re all we have

Global Temperature Rise 1880 – Present

2100: +5°F




Global Land–Ocean Temperature Index



NASA-GISS, 2011


Global Picture 2010

2010, warmest (tie) of 131 years 0.63°C (1.2°F)




- **Record summer temps**
 - **Russia** (100°F) Moscow fires
 - **Pakistan** (128°F) Extreme monsoon floods

Carbon Dioxide Is Increasing




2009 Was “Good” for the Earth

Fossil Fuel Emissions: Actual vs. IPCC Scenarios



Key Diagnostic of the Carbon Cycle

Evolution of the fraction of total emissions that remain in the atmosphere



It takes at least a century to remove CO₂ from the atmosphere, and many centuries to remove it from oceans


Rising Ocean Acidity Threatens Organisms



- From the Tropics to the Arctic, the seas are sucking up emissions of CO_2 — from burned fossil fuels
- When CO_2 dissolves in water, carbonic acid is produced; the oceans are becoming more acidic



(Ruttiman, *Nature*, 31 Aug. 2006)



Why Is More Carbon Dioxide in the Air a Problem?

- The air is transparent to sunlight, which warms the Earth
- But some gases in the air trap the Earth's heat , reradiate down, and keep the Earth warm (30°C)
- These are “Greenhouse gases”- water vapor, carbon dioxide, ozone, methane (H_2O , CO_2 , O_3 , CH_4 , CFCs..)
- CO_2 is rising fast: by itself only a small effect

But as CO₂ Increases, Strong Water Cycle Feedbacks

- Earth warms, and evaporation and water vapor in the air increases and this triples the warming
- As Earth warms, snow and ice decrease, so less sunlight is reflected, so winters and the Arctic are warming faster
- Doubling CO₂ will warm Earth about 5°F
 - Much more in the North, over land, in winter
 - Climate change we are seeing in Vermont will continue

Global Warming Is Unequivocal

IPCC: February 2, 2007 (AR5: Sept. 26, 2013)

Since 1970, a rise in:

- Global surface temperature
- Lower atmosphere temperatures
- Global sea-surface temperatures
- Global sea level
- Ocean heat content
- Water vapor
- Rainfall intensity
- Extratropical precipitation
- Hurricane intensity
- Drought
- Extreme high temperatures
- Heat waves

Decrease in:


- NH snow extent
- Arctic sea ice
- Glaciers
- Ocean pH (increasing acidity)



Predicted Change in Temperature


2020-2029 and 2090-2099, relative to 1980-1999 (°C)

“Committed”



**(We did
nothing for
the last 20
years)**

Still up to us!



**(We could
halve this if
we act now)**



[°C]

Sea-level Rise Will Eventually Flood Coastal Cities

- Late 20th-century sea-level rise: 1 foot / century
- 21st century: Likely to triple to 3 - 4 feet / century
 - And continue for centuries (accelerating for business as usual)
- *<http://www.nature.com/news/us-northeast-coast-is-hotspot-for-rising-sea-levels-1.10880>*

Many Challenges Face Us


- **Extreme weather: Floods, fires, & drought**
 - **32 weather disasters >\$1B in 2011**
- **Melting Arctic and permafrost—methane release is positive feedback**
- **Ecosystem collapse, including perhaps forest and ocean ecosystems**
- **Collapse of unsustainable human population**

What Is Happening to Vermont?

- Local climate change indicators **past 40/50 years**
- Warming twice as fast in winter than summer
- Winter severity decreasing **even faster**
- Lakes frozen less **by 7 days / decade**
- Growing season longer **by 3.7 days / decade**
- Spring coming earlier **by 2-3 days / decade**
- **Extremes increasing**
- *Evaporation increases with T*
- *More 'quasi-stationary weather patterns'*



Vermont Temperature Trends 1961-2008

- **Summer $+0.4^{\circ}\text{F}$ / decade**
- **Winter $+0.9^{\circ}\text{F}$ / decade**
- **Larger variability, larger trend**
- ***Less snow (and increased water vapor) drive larger winter warming***





Lake Freeze-up & Ice-out Changing

Frozen Period Shrinking Fast



- Ice-out earlier **by 3 days / decade**
- Freeze-up later **by 4 days / decade**

Lilac Leaf and Bloom in Spring



- Leaf-out earlier by **3 days/decade** (tracks ice-out)
- Bloom earlier by **1.5 days/decade**
- Leaf & bloom change **2.5 days/ $^\circ\text{F}$** (**4.5 days/ $^\circ\text{C}$**)


Vermont Winter 2006




- Snow reflects sunlight, except where trees shadow
- Cold; little evaporation, clear sky; earth cools to space
- *2012 warm winter, snow melts → positive feedback*

Winter Hardiness Zones - Northeast

**Change in
16 years**



1990



2006

Minimum winter T

4: -30 to -20°F

5: -20 to -10°F

6: -10 to 0°F


Zone



USDA Hardiness Zones

Detailed Map (most recent)

- VT Hardiness Zone Map 1976-2005
 - mean 1990
 - South now zone 6
- Half-zone in 16 yrs
= 3.1°F/ decade
 - triple the rise-rate of winter mean T
 - **3 zones/century**
- <http://planthardiness.ars.usda.gov/PHZMWeb/>
(Krakauer, Adv. Meteor. 2012)



Bennington & Brattleboro are becoming zone 6 ($T_{min} > -10F$)

- Hardy peaches: 2012
- More pests survive winter
- What is this?
 - Oct 1, 2012



Bennington & Brattleboro are becoming zone 6

- Hardy peaches: 2012
- More pests survive winter

- What is this?
 - Oct 1 2012

- **Avocado**

- Didn't survive frost
 - 2100 survive in CT
 - Our forests?





January 2, 2012



March 11, 2012




October 2011– March 2012

- **Warmest 6 months on record**
- **My garden frozen only 67 days**
- **No permanent snow cover west of Green Mntns**
- **Contrast snowy winter 2010-11**

Oct 2011-Mar 2012 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



Early Spring: Daffodils, Forsythia

79°F on March 22, 2012



Pittsford Vermont

3/22/12



Pittsford Vermont


3/24/12

2012 Exceptionally Warm


- Burlington Area Extremes
- Highest Average Temperature degrees F
- Days: 9/1/2011 - 8/31/2012
- Length of period: 365 days
- Years: 1850-2012
- Rank Value Ending Date
- **1 50.4 8/31/2012**
- 2 48.4 8/31/2002, 8/31/1949
- 4 48.2 8/31/2010
- 5 48.0 8/31/1999
- 6 47.9 8/31/2006
- 7 47.8 8/31/1991, 8/31/1995
- 9 47.6 8/31/1899, 8/31/1903

January-August 2012 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



First and Last Frosts Changing




- Growing season for frost-sensitive plants increasing **3.7 days / decade**
- A help for growing “local food”

Vermont's Future with High and Low GHG Emissions

What
about
skiing?

What
about
tropics?



NECIA,
2007

Extreme Weather (precip.)


- Precip. is condensation of atmospheric water vapor - larger latent heat release drives storms
- *Saturation vapor pressure at cloud-base increases steeply with temperature (4%/°F)*
- Quasi-stationary large-scale flow means longer rain events in low-pressure convergent regions, and longer droughts in high-pressure divergent regions
- *As climate changes, quasi-stationary large-scale modes appear to be more frequent*
 - *Cause may be Arctic warming: needs more study*

2011 Floods: VT and NY

- Record spring flood: Lake Champlain
- Record flood with tropical storm Irene

March-August 2011 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



March-August, 2011


- Record wet : OH to VT
- Record drought: TX & NM
- ‘Quasi-stationary’ pattern

Jet Stream Patterns Slowing Down and Amplifying, Giving More Extreme Weather

(Francis and Vavrus, 2012)

GFS: 300MB Wind & Height - 30 Hour Forecast

Valid on Mon 07/01/2013 at 08:00 AM EDT



Blocking Pattern - Unique track





Figure 1. (a) Atmospheric conditions during Hurricane Sandy's transit along the eastern seaboard of the United States, including the invasion of cold Arctic air into the middle latitudes of North America and the high-pressure blocking pattern in the northwest Atlantic. (b) After the convergence of tropical and extra-tropical storm systems, the hybrid Superstorm Sandy made landfall in New Jersey and New York, bringing strong winds, storm surge, and flooding to areas near the coast and blizzard conditions to Appalachia.

- High amplitude jet-stream + blocking pattern + strong cyclone + hurricane winds + full moon high tide = **record storm surge + disaster**

[Greene et al., Oceanography, 2013]

Colorado Flooding a 1,000 Year Event

O 15-hr



Outline

- Science of climate change
 - Global scale: actual and future
 - What is happening to Vermont
- The transition we face
 - Managing the earth system
 - Why is it difficult?

Discussion

What Lies Ahead?

- Accelerating change, increasing extremes
- Increasing adaptation and rebuilding costs
- Environmental damage that will transform or destroy ecosystems- locally and globally
- **Freely dumping waste streams from society into atmosphere, streams, lakes and oceans is unsustainable – long term costs now exceed \$1000 trillion**
- *Will need fossil carbon tax (a “waste” tax) to incentivize mitigation and pay for the long-term costs*

Can We Stop “Dangerous Climate Change”?

(UNFCCC 1992)

- **Yes:** Quickly stabilize atmospheric CO₂
- This means an 80% drop in CO₂ emissions!
- **This is very difficult**
 - Fossil fuels have driven our industrial growth and population growth for 200 years
 - Our “lifestyle” has become dependent on fossil fuels

Managing Our Relation to the Earth System

- Our technology and our waste-streams are having large local and global impacts on the natural world and **must be carefully managed** — *because we are dependent on the natural ecosystems*
- **We need new ‘rules’ because**
 - Our numbers and industrial output are so large
 - Maximizing consumption and profit have led to present predicament

Guidelines to Minimize Impacts

- *Planning a trajectory for sustainability*
- **Minimize the lifetime of human waste products** in the Earth system and eliminate waste with critical biosphere interactions
- **Maximize recycling and re-manufacturing to minimize waste-streams and the use of non-renewable raw materials**
- **Maximize the efficiency** with which our society uses energy and fresh water
- **Maximize the use of renewable resources**

Examples of Long-Lived 'Waste'

- **CFCs** – refrigerants – very stable – lifetime centuries - broken down by sunlight in stratosphere – catalyze ozone destruction, which protects earth from UV
- **CO₂ from fossil fuels** – lifetime centuries – a greenhouse gas that traps earth's heat radiation – pushing earth to warmer climate
- **Nuclear waste** – plutonium-239: half-life 24000 years – nuclear weapons

Efficiency Comes First

- **We need to double or triple our energy efficiency because...**
 - We cannot replace current fossil fuel use with biofuels & renewable energy
 - Oil and gas reserves are limited, but coal & oil shale reserves are sufficient to push CO₂ to 1,000 ppm—and in time melt icecaps
 - Can we “sequester” CO₂ (put it back in the earth)?

Why Is It Difficult for Us?

- The “American dream” is crumbling
 - “Economic growth” based on **fossil fuels, debt, and consumerism is unsustainable** — and a disaster for the planet!
- Individual “rights” and the needs of humanity must be **balanced** against the needs of the earth’s ecosystem
- We don’t know how to **guide and manage technology** —so the result is tremendous successes and catastrophic failures


Why Is It Difficult for Us?

- **Fossil fuels reserves are worth \$20-30T**
- **Regulating emissions of CO₂ is an “unfair cost” to the “free market”**
- **Real Earth system issues being ignored**
- **Our politics are facing collapse – becoming a fantasy disconnected from the real world**

We Passed the Carrying Capacity of the Earth in the 1980s (?)



- Population is still rising
- Consumption still rising
- Fossil fuel use still rising
- *We still 'believe' in Growth*
- *Global poverty & suffering are growing: the future looks bleak for billions*
- *In a finite world, growth leads to overshoot & collapse*



Surely Technology Can Save Us?

- Critical for transition **but real issue is**
- Our world of technology is having a global impact on the natural world, which is alive, complex and beyond our 'control'
- **So technology must be carefully managed — particularly our waste-streams —** because we are dependent on the natural world
 - **But this is challenging with our ideology**

Technology can be Useful

Trucks or lightweight..



**30 mph Danish electric tricycle:
with 150 mile range**

Our Choices Are Bounded



- **Humanity is an integral part of the earth system and dependent on its stability**
- **We do not have the freedom to do what we wish, whatever our economic, political or theological doctrine**
- **The response of the Earth system to human-centered arrogance will be sufficiently large this century that we will rethink our doctrine**
- **We would be wise to rethink sooner rather than later**

Can't Avoid the Big Issues!

- **Regulation is good – Reagan, G.H. Bush and Riley (EPA) pushed through the Montreal Protocol and the Clean Air Act Amendments over business opposition and saved the Earth from an ozone catastrophe**
- **Technology must be managed to minimize human impacts on the Earth**
- **Impacts have to be fully costed**
- **People need a vote, so they need to be informed**

What Do We Need?

- So we need **honest, truthful, smart** pathways forward
 - That will **not frighten people** into paralysis
 - That will **spread hope, not anger or despair**
 - That sidestep ideological barriers **with new language**
 - That **develop adaptive governance**
 - The US Constitution gives no rights to the Earth
 - **That respect Earth system processes & limits**
 - **That deal with society's fears**

The Future Is Not Our Past

- **Collectively, we create the future, so we need to plan for a transition to a sustainable society**
- **Efficient society**
- **Renewable technologies to replace fossil fuels**

What Do We Need To Do?

- **The transition to a sustainable society will take decades and a community effort**
 - www.transitionnetwork.org
- **Food:** local agriculture & gardens
- **Energy:** Double energy efficiency
 - home heating – district heating + cogen
 - renewable electricity mix
 - efficient transportation system
 - **careful forest management**
- **Finance:** relocation in real world


What Will This Mean For You?

- **Society needs to rethink its relationship to the natural environment and its ecosystems in less than one generation**
- **Our 'lifestyle' is disconnected from what the earth can sustain and the large inertia of the earth system is masking the extent of the crisis we face**
- **Individual can rethink priorities but societal changes are needed: from towns to global**
- **Ask**
 - **Is this an efficient and sustainable way of doing this?**
 - **Do I have a deep understanding and connection to Earth?**

Discussion

- <http://alanbetts.com>
 - this talk <http://alanbetts.com/talks>
 - articles at <http://alanbetts.com/writings>
 - papers at <http://alanbetts.com/research>
- ***Vermont Climate Change Indicators***
- ***Seasonal Climate Transitions in New England***

Temperature Extremes are a Sign of Global Warming



(Hansen, 2012)

- Frequency of occurrence (vertical axis) of local June-July-August temperature anomalies for Northern Hemisphere land in units of local standard deviation (horizontal axis). The normal (gaussian) distribution bell curve is shown in green.
- Large increase in anomalies $> +3\sigma$ is global warming

($\pm 3\sigma$ includes 99.7% of data in 1951-1980 base period)

Western Forest Fires: 2000s


- **1,000 acre fires: twice as many as 1970s**
- **10,000 acre fires: seven times as many as 1970s**
- **100,000 acre wildfires do not appear in records before the late 1980s.**
- **Burn season 2.5 months longer than 1970s**
- **Early snowmelt; warmer, drier spring & summer and forest management practice**
- **Each 1°C warming quadruples area burned**

CO₂ is the Primary Control Knob in the Climate System

Fig. 3. Zonally averaged annual mean surface temperature change after the zeroing out of noncondensing GHGs.

(Lacis et al., Science, 2010)

Remove CO₂ and other 'non-condensing' GHG from climate model & Global Temperature plunges





- Falls 5°C in 1 year; 35°C in 50 years
- Water vapor falls 90%; cloud-cover goes to 75%; sea-ice to 50%

Climate and Resilience



- Trend to **milder winters**; longer growing season; earlier spring – variability large
- Trend to **more precipitation in cool season**; more wet snow and mixed in winter
- **Warmer summers; heavier rain** in summer; periods of drought – increase infiltration and water storage – ***forests stabilize climate***
- **Agriculture issues**
 - Build soil carbon and organic matter for water storage and fertility
 - Recycle nutrients and **phosphorus**

Lilac Leaf-out and Ice-out Coupled



- Lilac leaf and lake ice-out both depend on Feb. Mar. and April temperatures
- Trends indicate earlier spring

Maples and Lilacs in spring



- Maple bud elongation mirrors lilac leaf
- Maple leaf-out mirrors lilac bloom

Very Heavy Precipitation Is Increasing

- Most of the observed increase in precipitation during the last 50 years has come from the increasing frequency and intensity of heavy downpours.
- 67% increase in Northeast
- Little change or a decrease in the frequency of light and moderate precipitation
- Vermont streamflow is increasing

