



# Dealing with Climate Change



---

**Dr. Alan K. Betts**

**Atmospheric Research, Pittsford, VT 05763**

**[akbetts@aol.com](mailto:akbetts@aol.com)**  
**<http://alanbetts.com>**

---

***Osher, Dartmouth, Hanover, NH***

**October 27, 2014**



**RACC**

Research on Adaptation  
to Climate Change

# Outline

- **Science of climate change**
  - **Global and local**
  - **What is happening to Vermont (and NE)?**
  - **Why is extreme weather increasing?**
- **The transition we face**
  - **Can we stabilize the climate?**
  - **Why is it difficult?**

**Discussion...**

## Earth's climate sustains life

- Burning fossil fuels is increasing greenhouse gases
- **Climate is warming: ice is melting, extreme weather is increasing**
- Water plays crucial amplifying role



*January 2, 2012: NASA*

# System Issues

- **Human waste streams are transforming the Earth's climate, and human and natural ecosystems**
- **How will this affect landscape, water supplies, food system and human health?**
- **What strategies and mindset are needed to mitigate, adapt and build resilience?**
  - **Is this an efficient way of doing this?**
  - **Can we manage our waste streams better?**
  - **Can I deepen my connection to the Earth?**

# Our Present Challenge

- **How to reintegrate  
all that we know and understand**
  - ***given the deep interconnectedness  
of life & climate on Earth***



- **Half the Arctic Sea Ice Melted in 2012**
- **Open water in Oct. Nov. gives warmer Fall in Northeast**

- *Positive feedbacks:*
- *Less ice, less reflection of sunlight*
- *More evaporation, larger vapor greenhouse effect*
- *Same feedbacks as in our winters*




# June 2012 snow cover minimum

Northern Hemisphere Snow Cover Anomaly  
June 2012



Percent difference from 1971 - 2000 average June snow cover extent

Northern Hemisphere Snow Cover Anomaly  
June 1967 - 2012



- **Arctic warming rapidly**
  - **Melting fast**
  - *Much faster than IPCC models*
- **Northeast winters**
  - *Same positive feedbacks*

# Winter Ice and Snow







# Serendipity in Science


- **For years I have studied clouds and snow**
  - And lectured on impacts (with little data!)
- **August 2012 – call from Agriculture-Canada**
  - Help us understand the changing Prairie Climate
- **Christmas: data arrives – a *gift* that answers questions I have had for years**
  - **With reflective cloud data I didn't know existed!**
  - Clouds: daily cycle of temperature and humidity
  - Crops and summer climate
  - Winter climate transitions with snow
  - Climate, rain and clouds in growing season
- **Responsibility comes with understanding**

# Snowfall and Snowmelt



- Temperature falls 18F (10C) with first snowfall
- Similar change with snowmelt
- ***Snow reflects sunlight; reduces evaporation and water vapor greenhouse – changes 'local climate'***



# More snow cover - Colder temperatures



# Winter Ice and Snow



# Clouds: Summer & Winter Climate



- **Summer:** Clouds reflect sunlight (soil absorbs sun)
  - no cloud, hot days; only slightly cooler at night
- **Winter:** Clouds are greenhouse (snow reflects sun)
  - clear & dry sky, cold days and very cold nights

# What Is Happening to Vermont?


- **PAST 40/50 years** (*global CO<sub>2</sub> forcing detectible*)
- **Warming twice as fast in winter than summer**
- **Winter minimums increasing even faster**
- **Lakes frozen less by 7 days / decade**
- **Growing season longer by 3-4 days / decade**
- **Spring coming earlier by 2-3 days / decade**

*(Betts, 2011)*

- **Extreme weather increasing**
- ***Evaporation increases with T***
- ***More 'quasi-stationary weather patterns'***



# Vermont Temperature Trends 1961-2008

- **Summer  $+0.4^{\circ}\text{F}$  / decade**
- **Winter  $+0.9^{\circ}\text{F}$  / decade**
- **Larger variability, larger trend**
- ***Less snow (and increased water vapor) drive larger winter warming***



# Lake Freeze-up & Ice-out Changing

## Frozen Period Shrinking Fast




- Ice-out earlier **by 3 days / decade**
- Freeze-up later **by 4 days / decade**
- *Soil ice probably similar*



# Hydrology Sensitive to Climate

*Lent (2010), USGS, Me*


- Peak spring runoff
- **Earlier in northern New England in recent years**  
**≈ 3 days/decade**
- **Timing related to air temperatures in Spring**



*(Hodgkins and others, 2003)*

# Heating Degree Days and Days below 0°F (Burlington)


- Heating degree days *falling 290/decade*
- $T_{\min} < 0^{\circ}\text{F}$  *falling 4 days/decade*




# Winter Hardiness Zones

– winter cold extremes

Change in  
16 years



1990



2006

Minimum winter T

4: -30 to -20°F

5: -20 to -10°F

6: -10 to 0°F


Zone



USDA Hardiness Zones

# Detailed Map (most recent)

- VT Hardiness Zone Map 1976-2005
  - mean 1990
  - South now zone 6
- Half-zone in 16 yrs  
= 3.1°F/ decade
  - triple the rise-rate of winter mean T
  - **3 zones/century**
- <http://planthardiness.ars.usda.gov/PHZMWeb/>  
(Krakauer, Adv. Meteor. 2012)



# Bennington & Brattleboro are becoming zone 6 ( $T_{min} > -10F$ )

- Hardy peaches: 2012
- More pests survive winter
- What is this?
  - Oct 1, 2012



# Bennington & Brattleboro are becoming zone 6

- Hardy peaches: 2012
- More pests survive winter



- What is this?
  - Oct 1 2012

- **Avocado**

- Didn't survive frost
- **2100 survive in CT**
- Our forests?





# Lilac Leaf and Bloom



- Leaf-out  $-2.9$  days/decade; Bloom  $-1.6$  days/decade
- Large year-to-year variation related to temperature:  $2.5 \text{ days}/^\circ\text{F}$  ( $4.5 \text{ days}/^\circ\text{C}$ )



# Maples and Lilacs in spring



- Maple bud elongation mirrors lilac leaf
- Maple leaf-out mirrors lilac bloom



# First and Last Frosts Changing



- Growing season for frost-sensitive plants increasing **3.7 days / decade**
- *Important for agriculture; local food supply*

# January 2, 2012




# March 11, 2012




## October 2011– March 2012

- **Warmest 6 months on record**
- **My garden frozen only 67 days**
- **No permanent snow cover west of Green Mountains**
- **Contrast snowy winter 2010-11**

Oct 2011-Mar 2012 Statewide Ranks  
National Climatic Data Center/NESDIS/NOAA



# Across the border: Canada



- **Winter 2011-12: Far above “normal”**
  - **Canada’s winters also warming 0.9°F/decade**
- ***Climate doesn’t see the border!***

**December 21, 2012**

**January 15, 2013**




**Past  
Winter**

- **Dec 25: Ground froze hard**
- **Dec 27-28: Foot of snow**
  - **Air temperatures plunged but ground thawed under snow**
- **Jan 12-14: 45-50F: Snow melted**
- **Jan 15: Time to dig again..**
- **Followed by freeze-up.. Melt**
- **Final Melt - March 11**

# Jan. 1-24, 2014


## 850mb Temperature Anomaly



Extremes increasing across whole hemisphere: stationary patterns

# Carbon Dioxide Is Increasing

## Atmospheric CO<sub>2</sub> at Mauna Loa Observatory



# Why Is More Carbon Dioxide in the Air a Problem?

- The air is **transparent to sunlight**, which warms the Earth
- But some gases in the air trap the Earth's heat , reradiate down, and keep the Earth warm (30°C)
- These are “**Greenhouse gases**”- **water vapor, carbon dioxide, ozone, methane** (H<sub>2</sub>O, CO<sub>2</sub>, O<sub>3</sub>, CH<sub>4</sub>, CFCs..)
- CO<sub>2</sub> is rising fast: by itself only a small effect

# But as CO<sub>2</sub> Increases, Strong Water Cycle Feedbacks

- Earth warms, and evaporation and water vapor in the air increases and this triples the warming
- As Earth warms, snow and ice decrease, so less sunlight is reflected, so winters and the Arctic are warming faster
- Doubling CO<sub>2</sub> will warm Earth about 5°F
  - Much more in the North, over land, in winter
  - Climate change we are seeing in Vermont will continue



# Increasing CO<sub>2</sub> is long-lived driver


## Water: *Strong Feed-backs Amplify*

- **GHGs up → Oceans, land warmer → Evaporation up**
- **Water Vapor up**
  - **WV infrared greenhouse up**
    - **Approx triples climate warming of planet**
    - **Locally reduces night-time cooling**
      - **Winter T<sub>min</sub> increase: less severe winters**
      - **Longer growing season between frosts**
  - **Latent heat release in storms up**
    - **Increases precipitation rates**
      - **Increases precipitation extremes**
    - **Increases wind-speeds and storm damage**
    - **Increases snowfall from coastal storms in winter**
- **Snow and ice down, less sunlight reflected**
  - **Warmer Arctic in summer**
  - **Warmer northern winters**
  - **Less ice-cover: more evaporation**
  - **More lake-effect snowstorms**

# Predicted Change in Temperature


2020-2029 and 2090-2099, relative to 1980-1999 (°C)

**“Committed”**



**(We did nothing for the last 20 years)**

**Still up to us!**



**(We could halve this if we act now)**




**[°C]**

# Vermont's Future with High and Low GHG Emissions

What  
about VT  
forests?

Sub-tropical  
drought areas  
moving into  
southern US




**NECIA,  
2007**

# Very Heavy Precipitation Is Increasing

(USGCRP, 2009)

- **Precipitation Extremes**
- **Most of the observed increase in precipitation during the last 50 years has come from the increasing frequency and intensity of heavy downpours.**
- **67% increase in Northeast**
- ***Nine out of ten recent summers have been 'wet'***



# Extreme Weather (precip.)


- Precip. is condensation of atmospheric water vapor - larger latent heat release drives storms
- *Saturation vapor pressure at cloud-base increases steeply with temperature (4%/°F)*
- Quasi-stationary large-scale flow means longer rain events in low-pressure convergent regions, and longer droughts in high-pressure divergent regions
- *As climate changes, quasi-stationary large-scale modes appear to be more frequent*
  - *Cause may be Arctic warming, or W. Pacific warming: needs more study*

# 2011 Floods: VT and NY

- Record spring flood: Lake Champlain
- Record flood with tropical storm Irene

## March-August 2011 Statewide Ranks

National Climatic Data Center/NESDIS/NOAA



## March-August, 2011


- Record wet : OH to VT
- Record drought: TX & NM
- ‘Quasi-stationary’ pattern

# 2011 Classic Flood Situations

- **Spring flood:** heavy rain and warm weather, melting large snowpack from 2010 winter
  - 70F (4/11) and 80F(5/27) + heavy rain
  - record April, May rainfall: 3X at BTV
  - Severe floods on Winooski and Adirondack rivers
  - Lake Champlain record flood stage of 103ft
- **Irene flood: tropical storm** moved up east of Green Mountains and Catskills
  - dumped 6-8 ins rain on wet soils
  - Extreme flooding
  - (Floyd on 9/17/1999 had similar rain - but with dry soils there was less flooding)

# Jet Stream Patterns Slowing Down and Amplifying, Giving More Extreme Weather

*(Francis and Vavrus, 2012)*





# Blocking Pattern - Unique track





Figure 1. (a) Atmospheric conditions during Hurricane Sandy's transit along the eastern seaboard of the United States, including the invasion of cold Arctic air into the middle latitudes of North America and the high-pressure blocking pattern in the northwest Atlantic. (b) After the convergence of tropical and extra-tropical storm systems, the hybrid Superstorm Sandy made landfall in New Jersey and New York, bringing strong winds, storm surge, and flooding to areas near the coast and blizzard conditions to Appalachia.

- High amplitude jet-stream + blocking pattern + strong cyclone + hurricane winds + full moon high tide = **record storm surge + disaster**

[Greene et al., *Oceanography*, 2013]

# Science to Social Issues

- **Climate system has many instabilities**
  - **GHG are pushing it into unknown territory**
  - **Future only known in broad outline**
  - **Surprises likely**
  - **Risks are escalating rapidly**
- **Now a social, political and moral issue**

# What Lies Ahead?

- Accelerating change, increasing extremes
- Increasing adaptation and rebuilding costs
- Environmental damage that will transform or destroy ecosystems- locally and globally
- **Freely dumping waste streams from society into atmosphere, streams, lakes and oceans is unsustainable – long term costs now exceed \$1000 trillion**
- *Will need fossil carbon tax (a “waste” tax) to incentivize mitigation and pay for the long-term costs*

# Managing Our Relation to the Earth System

- Our technology and our waste-streams are having large local and global impacts on the natural world and **must be carefully managed** — *because we are dependent on the natural ecosystems*
- **We need new ‘rules’ because**
  - Our numbers and industrial output are so large
  - Maximizing consumption and profit have led to present predicament

# Guidelines to Stabilize Climate

- *Planning a trajectory for sustainability*
- **Minimize waste streams**
  - Especially those with critical biosphere interactions
- **Maximize recycling and re-manufacturing to minimize waste-streams and the use of non-renewable raw materials**
- **Maximize the efficiency** with which our society uses energy and fresh water
- **Maximize the use of renewable resources**

# Will Attitudes Change?

- **Changing climate and extreme weather will raise awareness (sea level rise is too slow)**
- **We have 'technical' solutions**
  - Manage waste streams
  - Double/triple energy efficiency
  - Tax fossil carbon
  - Shift to renewables
- **Climate change is now a moral issue**
  - What will we leave Earth's children?

# Why Is It Difficult for Us?

- The “American dream” is crumbling
  - “Economic growth” based on **fossil fuels, debt, and consumerism is unsustainable** — and a disaster for the planet!
- Individual “rights” and the needs of humanity must be **balanced** against the needs of the earth’s ecosystem
- We don’t know how to **guide and manage technology** — so the result is tremendous successes and catastrophic failures

# Surely Technology Can Save Us?

- **Critical for transition** **but real issue is**
- **Our world of technology is having a global impact on the natural world, which is alive, complex and beyond our 'control'**
- **So technology must be carefully managed — particularly our waste-streams — because we are dependent on the natural world**
  - **But this is challenging for our ideology**



- **Strengths of science:**
  - integrity, honesty and communication
  - *particularly valuable in a society lost in ignorance and deceit*
  
- **Limits of science:**
  - tangible, measurable and communicable
  - *hard to deal with the complexity and interconnectedness of the living natural world*

# The Future Is Not Our Past

- *Collectively, we create the future*, so we need to plan for a transition to a sustainable society
- Face the future with an attitude of “**Bold Humility**”

*(Frances Moore Lappé: RAFFL, Rutland, 2007)*

- **Efficient society with renewable technologies**
- **Balance community solutions and government interventions**
- **Ask**
  - **Is this an efficient and sustainable way of doing this?**
  - **How deep is my understanding and connection to Earth?**

# Attitude Matters

## *(Hope versus Despair)*

- People ask “Why are you so hopeful?”
  - For human beings, hope opens doors to possibilities that expand our vision, hope connects us to each other and deepens our sense of communion
  - Hope frees us to be creative and work joyfully with each other and with the Earth
  - Hope is a choice and a spiritual connection
- *Despair closes us off from the real world of possibilities into a dark and isolated world*

# As Climate Changes....

- **Everything is interconnected**
- **Human society and waste streams: people's choices and actions**
- **Climate, precipitation, seasons, streams, and forests; habitat and wildlife**
- **Look for the big picture; draw connections**
- **Map a strategy for change in personal, public and professional life**

# Discussion

## Background papers:

<http://alanbetts.com/>

- *Vermont Climate Change Indicators*
- *Seasonal Climate Transitions in New England*
- *Extreme Weather and Climate Change*
- *“Environmental journalism revisited”*